



RAILING, POST, & BEAM DETAIL (D)



RAILING SECTION VIEWS (E)

GUARDRAIL PERPENDICULAR TO JOISTS

GUARDRAIL PARALLEL TO JOISTS



NOTE- DECKING OPTIONS ARE AS FOLLOWS:

- 5/8" TONGUE AND GROOVE JOINTED PLYWOOD SECURED WITH 8d NAILS. ALL EDGE NAILING AT 6" O.C. MUST BE COVERED WITH AN APPROVED WEATHER RESISTIVE MATERIAL WALKING SURFACE, AND SLOPED FOR DRAINAGE.
- 2X6" DECKING SECURED W/ (2) 16d NAILS @ EA. JOIST.

WESTERN RIVERSIDE COUNTY CODE UNIFORMITY PROGRAM

**CITRIRURD
LOLULLVRI**

BALCONY/DECK STANDARD

(951) I

**6DLFHQWLDVH
BRURQDBI**

DI

6/12/2018 A


DECKSTDS
I

PAGE 3 OF 4



OPTIONAL EXTERIOR STAIRWAY

NOTES:

1. THE TOLERANCE BETWEEN THE LARGEST AND SMALLEST TREAD DEPTH OR BETWEEN THE LARGEST AND SMALLEST RISER HEIGHT SHALL NOT EXCEED 3/8" IN THE STAIRWAY. ⚠
2. STAIRWAY WIDTH 36" MIN – 48" MAX.
3. TREADS MUST HAVE APPROVED SLIP RESISTANT SURFACE
4. ALTERNATE STAIRWAY DESIGNS MAY BE ACCEPTABLE PENDING BUILDING DEPARTMENT APPROVAL.
5. LIGHTING LEVEL AT ALL STAIR TREADS TO BE A MINIMUM OF 1 FOOT-CANDLE. ⚠



HANDRAIL DETAILS



WESTERN RIVERSIDE COUNTY CODE UNIFORMITY PROGRAM			
	CITY OF CORONA BUILDING DIVISION		
	BALCONY/DECK STANDARD		
(951) 736-2250	400 S. VICENTIA AVE. CORONA, CA 92882		
Fax (951) 279-3561	6/12/2018 ⚠	DECK STDS 6-12-2018	PAGE 4 OF 4